



# Reports

Help Documentation

# Reports

## Reports Overview

Using SmarterMail's extensive reporting engine and routinely generating and evaluating reports provides users, domain administrators and system administrators with the information they need to uncover issues before they become problems, discover and evaluate trends, identify the need for policy adjustment and much more.

Users have access to a variety of reports that are directly related to their use of SmarterMail. These include disk usage and file storage usage reports in addition to a variety of traffic reports, such as IMAP usage, message traffic, POP usage and more.

Domain administrators have access to all standard user reports in addition to reports that deal directly with the domain they are managing. For example, both summary and trend reports relating to domain traffic as well as spam and virus reports.

Finally, system administrators have access to a number of system-wide reports that give a detailed overview, as well as minute detail, about the server functions like drive usage and read/write statistics, domain usage reports that can be drilled into all the way to the user level, spam and antivirus reports and more. In addition, system administrators have access to detailed security reports such as abuse detection reports and information on blacklisted/whitelisted domains.

## Summary and Trend Reports

SmarterMail includes dozens of predefined summary and trend reports and also allows users, domain administrators and/or system administrators to generate their own custom reports.

- Summary reports display summarized data at the system, domain, and user level within a user defined block of time. Summary reports are especially useful for determining the overall usage and performance of systems, domains, and users relative to each other.
- Trend reports display data points -- connected by trend lines -- for a system, domain, or user over a selected time span. Trend reports are especially useful for determining the usages and performance month-by month, day-by-day, and hour-by-hour (etc.).

These reports can be grouped and filtered to create custom reports. With summary, trend, and custom reporting, SmarterMail provides domain and system administrators with the information they need to efficiently monitor the performance of their mail server software. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

For help understanding the different areas of the reporting section, see the reports interface diagram .

## Scheduled Email Reports

This feature is only available in SmarterMail Enterprise.

SmarterMail Enterprise has the ability to email standard and custom reports on a daily, weekly, and monthly basis. Note: If a scheduled email report is empty of data, it will NOT be sent until there is data to actually view.

- Daily email reports are sent after 12:00 AM.
- Weekly email reports are sent after 12:00 AM Sunday.
- Monthly email reports are sent after 12:00 AM on the first day of the month.

The reports are generated and sent by SmarterMail according to the time zone configured for that particular user.

To see which reports are scheduled to be emailed, click the reports icon . Then click Scheduled Email Reports in the navigation pane and select the desired report. A list of scheduled email reports will load in the content pane and the following options will be available in the content pane toolbar:

- New - Creates a new scheduled email report.
- Send Now - Emails a copy of the report to the desired recipient(s).
- Edit - Edit the email options for the report.
- Delete - Permanently removes the report from the emailed reports list.

## Custom Reports

With custom reports, statistics from multiple reports can be combined to give users and administrators a comprehensive analysis of the mail server's performance, of individual mailbox performance, or an overview of a number of other metrics and measurements.

To access custom reports that were already created, click the reporting icon . Then expand the Custom Reports folder in the navigation pane. Then, select the desired report from the menu and it will load in the content pane. You can also get a list of the custom reports available by clicking on Manage Custom Reports. When you do, the custom reports that are already available will appear in the content pane. Regardless of the method you use, the following options will be available in the content pane toolbar:

- New - Creates a new custom report.
- Edit - Edit the report's settings and configuration options.
- Delete - Permanently remove the report from the custom reports list.

## Creating a Custom Report

To create a custom report, click the reporting icon . Then expand the Custom Reports folder in the navigation pane and click Manage Custom Reports and click New in the content pane toolbar. The following configuration tabs will be available:

### Custom Report

Use this tab to specify the following options:

- Name - The name of the custom report.
- Default Date Range - The default time period from which report data is collected.

### Report Items

Use this tab to specify which report items to include in the custom report:

- Report Items - The specific report to be added to the custom report. Note: Depending on the report item selected, some of the options listed below may not be available.
- Name - The name of the report item.
- Rows - The number of rows displayed in the report.
- Sort By - The sort order of the data.
- Chart - To specify a specific chart type, select the appropriate option from the list.
- Values - The values that will be charted.
- Group By - The timeframe for which rows are grouped.

## Summary Reports

### Disk Reports

#### Disk Usage Reports

This report provides statistics regarding input/output operations of the system's hard drive, also known as "disk i/o". System administrators may use this report to correlate high disk usage on the server with SmarterMail activity and identify areas in which adjustments can be made. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Avg. Read - The average size in KB/sec of disk reads.
- Avg. Write - The average size in KB/sec of disk writes.

## **Traffic Reports**

### **Disk Space Usage**

This report displays the amount of disk space currently being used by all domains on your server. Domain administrators may run this report if the domain is nearing its storage limits to identify which users are using the most disk space. System administrators may run this report to identify domains that are utilizing the most server space. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Disk Usage - The number of MB that each folder is occupying on the server.
- Rank - The order users or domains are listed within the report.
- User - The specific user on the domain.

### **File Storage Disk Space Usage**

This report informs users how much disk space is currently being used for file storage. Users may use this report to identify which file storage folder is utilizing the most disk space. This is especially useful if the user is nearing his mailbox disk space limits and needs to clear up space for new data. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Disk Usage - The number of MB that each folder is taking up on the server.
- Rank - Where each folder falls in terms over overall space used.

### **Message Traffic**

This report will tell you the number of messages that are being sent and received by all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). System administrators may use this report for overage billing, to identify potential spammers on the server or to identify high-usage domains. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, the specific domain on a server.

- User - For domain admins, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Incoming Messages - The total number of messages the account has received.
- Outgoing Messages - The total number of messages the account has sent.
- Incoming Spam Messages - The total number of spam messages delivered to the mailbox.
- Outgoing Spam Messages - The total number of spam messages sent from the account.

## Message Data

This report tells you the amount of data that was sent and received in KB by all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). System administrators may use this report to identify potential spammers on the server or to identify high-usage domains. Note: Not all reports are available for users and/or domains. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, the specific domain on the server.
- User - For domain admins, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Data Sent - The total size in KB of all data sent by the account.
- Data Received - The total size in KB of all data received by the account.

## Throttle Traffic

This report shows the number of messages that have been throttled on your server for all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify issues with high usage customers. For example, if a user is sending a high number of bounced messages, that is an unnecessary use of system resources that can be easily corrected. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, a specific domain on the server.
- User - For domain admins, the specific user on the domain.

- Bounces Received - The number of bounced messages throttled.
- Messages Sent - The number of sent messages throttled.
- SMTP Out Bandwidth - The amount of bandwidth throttled.

## Throttle Violations

This report shows the number of throttle violations on your server for all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify issues with high usage customers. For example, if a user is sending a high number of bounced messages, that is an unnecessary use of system resources that can be easily corrected. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, a specific domain on the server.
- User - For domain admins, the specific user on the domain.
- Bounces Received - The number of bounced messages throttled.
- Messages Sent - The number of sent messages throttled.
- SMTP Out Bandwidth - The amount of bandwidth throttled.

## SMTP In Usage

This report tells you the size of the bandwidth and the number of connections that have been made from SMTP incoming mail for all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify high usage accounts. This information can be used to evaluate whether to move such accounts to another server or to set limits on such accounts. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, the specific domain on a server.
- User - For domain admins, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Bandwidth - The bandwidth in KB for all incoming SMTP mail.
- Connections - The total number of connections made to a particular server (i.e., SMTP, POP, IMAP)

## SMTP In Errors

This report tells if any errors occurred from SMTP incoming mail for all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify users that are using faulty email clients or unnecessarily using system resources. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, the specific domain on a server.
- User - For domain admins, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Blocked Connections - The total number of connections that were blocked.
- Bad Commands - The total number of bad commands given.
- Terminations - The total number of terminations that occurred for incoming mail.

## SMTP Out Usage

This report tells you the size of the bandwidth and the number of connections that have been made from SMTP outgoing mail from all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify high usage accounts. This information can be used to evaluate whether to move such accounts to another server or to set limits on such accounts.

Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, a specific domain on the server.
- User - For domain admins, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Bandwidth - The bandwidth in KB for all outgoing SMTP mail.
- Connections - The total number of connections made to a particular server (i.e., SMTP, POP, IMAP)



## SMTP Out Errors

This report tells if any errors occurred from SMTP outgoing mail from all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, the specific domain on a server.
- User - For domain admins, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Bad Commands - The total number of bad commands given.
- Terminations - The total number of terminations that occurred for incoming mail.

## POP Usage

This report tells you the size of the bandwidth and the number of connections that have been made from POP incoming mail for all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify high usage accounts. This information can be used to evaluate whether to move such accounts to another server or to set limits on such accounts. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, the specific domain on a server.
- User - For domain admins, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Bandwidth - The bandwidth in KB for all incoming SMTP mail.
- Connections - The total number of connections made to a particular server (i.e., SMTP, POP, IMAP)

## POP Errors

This report tells if any errors occurred from POP incoming mail for all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify users that are using faulty email clients or unnecessarily using system resources. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, the specific domain on a server.
- User - For domain admins, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Blocked Connections - The total number of connections that were blocked.
- Bad Commands - The total number of bad commands given.
- Terminations - The total number of terminations that occurred for incoming mail.

## IMAP Usage

This report tells you the size of the bandwidth and the number of connections that have been made from IMAP incoming mail for all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify high usage accounts. This information can be used to evaluate whether to move such accounts to another server or to set limits on such accounts. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, the specific domain on the server.
- User - For domain admins, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Bandwidth - The bandwidth in KB for all incoming SMTP mail.
- Connections - The total number of connections made to a particular server (i.e., SMTP, POP, IMAP)

## IMAP Errors

This report tells if any errors occurred from IMAP incoming mail for all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify users that are using faulty email clients or unnecessarily using system resources. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, the specific domain on the server.
- User - For domain admins, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Blocked Connections - The total number of connections that were blocked.
- Bad Commands - The total number of bad commands given.
- Terminations - The total number of terminations that occurred for incoming mail.

## Trusted Senders

This report shows the number of messages received from email addresses listed as trusted senders for all domains on your server. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Account Type - The type of account the email address is associated with (user, domain administrator, or system administrator).
- Messages Trusted - The total number of messages received from addresses in the trusted senders list.
- Rank - The order in which users or domains are listed within the report.
- User - The specific user on the domain.

## Spam and Virus Reports

### Incoming Spam

This report tells you the number of spam messages which were received at different tolerance levels for all users of a domain (at the domain admin level) or all domains on your server (at the system

admin level). Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, the specific domain on the server.
- User - For domain admins, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Low Spam Messages - The total number of messages received with a low spam tolerance level.
- Medium Spam Messages - The total number of messages received with a medium spam tolerance level.
- High Spam Messages - The total number of messages received with a high spam tolerance level.
- Total Spam Messages - The total number of messages received with any spam tolerance level assigned to it.

## Outgoing Spam

This report tells you the number of outgoing messages that were blocked due to spam for all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, the specific domain on a server.
- User - For domain admin, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Blocked Messages - The total number of messages that were sent and blocked as spam.

## Greylisting

This report tells you the number of connections which were allowed and delayed due to greylisting for all users of a domain (at the domain admin level) or all domains on your server (at the system admin level). Clicking on individual domains, or individual users, will display a more detailed view of each.

Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Rank - The order in which users or domains are listed within the report.
- Domain - For system admins, the specific domain on the server.
- User - For domain admins, the specific user on the domain.
- Account Type - For domain admins, the type of account the email address is associated with (user, domain administrator, or system administrator).
- Allowed Connections - The total number of messages that passed greylisting and were delivered to the mailbox.
- Delayed Connections - The total number of messages that were delayed due to greylisting.
- Total Connections - The total number of connections made to a particular server (i.e., SMTP, POP, IMAP, etc.)

## Viruses

This report tells you the number of viruses which were received through email for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The day of the week covered by the report.
- Viruses - The total number of viruses detected from incoming mail.

## Trend Reports

## Traffic Reports

## Server Status

This report will tell you the amount of memory currently being used on your server. System administrators may use this report to identify issues such as spool count spikes, thread count spikes, memory spikes etc. and troubleshoot ways to correct them. For example, if the average CPU spikes, the system administrator may want to check the spam check and indexing settings. If the average memory usage spikes, the system administrator may want to check indexing and greylisting settings

and the max message size to content scan spam setting. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Avg. CPU - The average CPU usage percentage for the SmarterMail process.
- Avg. Memory - The average memory usage for the SmarterMail process.
- Avg. Nonpaged Memory - The average nonpaged memory usage for the SmarterMail process.
- Avg. Handles - The average number of handles used for the SmarterMail process.
- Avg. Threads - The average number of threads used for the SmarterMail process.
- Avg. Active Connections - The average number of active connections made by SmarterMail.
- Avg. Spool Count - The average number of messages in the spool.

## Message Traffic

This report will tell you the number of messages that are being sent and received for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). System administrators may use this report for overage billing, to identify potential spammers on the server or to identify high-usage domains. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Incoming Messages - The total number of messages the account has received.
- Outgoing Messages - The total number of messages the account has sent.
- Incoming Spam Messages - The total number of spam messages delivered to the mailbox.
- Outgoing Spam Messages - The total number of spam messages sent from the account.

## Message Data

This report tells you the amount of data which was sent and received in KB for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). System administrators may use this report to identify potential spammers on the server or to identify high-usage domains. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.

- Data Sent - The total size in KB of all data sent by the account.
- Data Received - The total size in KB of all data received by the account.

## Throttle Traffic

This report shows the number of messages that have been throttled for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify issues with high usage customers. For example, if a user is sending a high number of bounced messages, that is an unnecessary use of system resources that can be easily corrected. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Bounces Received - The number of bounced messages throttled.
- Messages Sent - The number of sent messages throttled.
- SMTP Out Bandwidth - The amount of bandwidth throttled.

## Throttle Violations

This report shows the number of throttle violations for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify issues with high usage customers. For example, if a user is sending a high number of bounced messages, that is an unnecessary use of system resources that can be easily corrected. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Bounces Received - The number of bounced messages throttled.
- Messages Sent - The number of sent messages throttled.
- SMTP Out Bandwidth - The amount of bandwidth throttled.

## Traffic By Priority

This report shows how many messages going through the spool were assigned priority levels. For example, if the system administrator set mailing lists to a lower priority than regular messages, this report can be used compare mailing list traffic and normal traffic on the server. Note: Not all reports

are available for users and/or domains. Consult your system or domain administrator for report availability.

## Bandwidth By Priority

This report shows the bandwidth for all messages in each priority level. For example, if the system administrator sets mailing lists to a lower priority than regular messages, this report can be used to compare mailing list traffic and normal traffic on the server and that bandwidth usage is occurring as expected. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

## SMTP In Usage

This report tells you the size of the bandwidth and the number of connections that have been made from SMTP incoming mail for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify high usage accounts. This information can be used to evaluate whether to move such accounts to another server or to set limits on such accounts. This report can also be used to find potentially compromised reports because the administrator would see a jump in SMTP connections over time. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Bandwidth - The bandwidth in KB for all incoming SMTP mail.
- Avg. Active Connections - For system admins, the average number of active connections made by Smartermail.
- Connections - The total number of connections made to a particular server (i.e., SMTP, POP, IMAP, etc.)
- Blocked Connections - For system admins, the total number of connections that were blocked.

## SMTP In Errors

This report tells if any errors occurred from SMTP incoming mail for all domains on your server. Domain and system administrators may use this report to identify users that are using faulty email clients or unnecessarily using system resources. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:



- Day - The specified amount of time that the report data falls within.
- Blocked Connections - The total number of connections that were blocked.
- Bad Commands - The total number of bad commands given.
- Terminations - The total number of terminations that occurred for incoming mail.

## SMTP Out Usage

This report tells you the size of the bandwidth and the number of connections that have been made from SMTP outgoing mail for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify high usage accounts. This information can be used to evaluate whether to move such accounts to another server or to set limits on such accounts. This report can also be used to find potentially compromised reports because the administrator would see a jump in SMTP connections over time.

Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Bandwidth - The bandwidth in KB for all incoming SMTP mail.
- Avg. Active Connections - The average number of active connections made by Smartermail.
- Connections - The total number of connections made to a particular server (i.e., SMTP, POP, IMAP, etc.)

## SMTP Out Errors

This report tells if any errors occurred from SMTP outgoing mail from all domains on your server.

Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Bad Commands - The total number of bad commands given.
- Terminations - The total number of terminations that occurred for incoming mail.

## POP Usage

This report tells you the size of the bandwidth and the number of connections that have been made from POP incoming mail for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify

high usage accounts. This information can be used to evaluate whether to move such accounts to another server or to set limits on such accounts. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Bandwidth - The bandwidth in KB for all incoming SMTP mail.
- Avg. Active Connections - For system admins, the average number of active connections made by Smartermail.
- Connections - The total number of connections made to a particular server (i.e., SMTP, POP, IMAP, etc.)
- Blocked Connections - For system admins, the total number of connections that were blocked.

## POP Errors

This report tells if any errors occurred from POP incoming mail for all domains on your server. System administrators may use this report to identify users that are using faulty email clients or unnecessarily using system resources.

Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Blocked Connections - The total number of connections that were blocked.
- Bad Commands - The total number of bad commands given.
- Terminations - The total number of terminations that occurred for incoming mail.

## IMAP Usage

This report tells you the size of the bandwidth and the number of connections that have been made from IMAP incoming mail for all domains on your server. Domain and system administrators may use this report to identify high usage accounts. This information can be used to evaluate whether to move such accounts to another server or to set limits on such accounts.

Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Avg. Active Connections - The average number of active connections made by Smartermail.
- Bandwidth - The bandwidth in KB for all incoming SMTP mail.
- Blocked Connections - The total number of connections that were blocked.
- Day - The specified amount of time that the report data falls within.

## IMAP Errors

This report tells if any errors occurred from IMAP incoming mail for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to identify users that are using faulty email clients or unnecessarily using system resources.

Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Blocked Connections - The total number of connections that were blocked.
- Bad Commands - The total number of bad commands given.
- Terminations - The total number of terminations that occurred for incoming mail.

## SpamAssassin Servers

This report shows general data regarding connections to external SpamAssassin servers. System administrators may use this report to identify faulty SpamAssassin servers and troubleshoot ways to correct the issue. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Avg. Active Connections - This is the average number of active connections made by SmarterMail.
- Connections - This is the total number of connections made to a SpamAssassin server.
- Failed Connections - The total number of failed connections to a SpamAssassin server.

## SMTP Out Connections

This report tells you the number of SMTP out connections made for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). Note: Not all reports are

available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Avg. Active Connections - For system admins, the average number of active connections made by Smartermail.
- Connections - The total number of connections made to a particular server (i.e., SMTP, POP, IMAP, etc.)
- Failed Connections - The total number of connections that failed.

## ClamAV

This report tells you the number of connections your server has made to the ClamAV service. System administrators may use this report to identify and troubleshoot issues between SmarterMail and the ClamAV service. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Avg. Active Connections - The average number of active connections made to ClamAV by Smartermail.
- Connections - The total number of connections made to a particular server.
- Failed Connections - The total number of connections that failed.

## Spam and Virus Reports

### Incoming Spam Counts

This report tells you the number of spam messages which were received at different tolerance levels for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Low Spam Messages - The total number of messages received with a low spam tolerance level.

- Medium Spam Messages - The total number of messages received with a medium spam tolerance level.
- High Spam Messages - The total number of messages received with a high spam tolerance level.
- Total Spam Messages - The total number of messages received with any spam tolerance level assigned to it.

## Outgoing Spam Counts

This report tells you the number of outgoing messages that were blocked due to spam for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). System administrators can use this report to determine if the server is sending out a large amount of spam.

Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Blocked Messages - The total number of messages that were sent and blocked as spam. Note: The system administrator must enable outgoing spam checks or this report will not contain data.

## Incoming Spam Percentages

This report tells you the percentages of spam messages which were received at different tolerance levels for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). System administrators may use this report to adjust spam weight settings. For example, if the system administrator notices a large percentage of medium spam messages, it is highly likely that these messages actually are spam. For this reason, the system administrator may want to adjust the spam weights so that many of these messages will be marked as a high spam tolerance level in the future. Doing so may decrease the amount of spam delivered to users' inboxes. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Low Spam Percentage - The total percentage of spam messages received with a low spam tolerance level.
- Medium Spam Percentage - The total percentage of spam messages received with a medium spam tolerance level.
- High Spam Percentage - The total percentage of spam messages received with a high spam

tolerance level. Total Spam Percentage - The total percentage of spam messages received with any spam tolerance level assigned to it.

## Outgoing Spam Percentages

This report tells you the percentage of outgoing messages that were blocked as spam for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Blocked Messages - The total percentage of outgoing messages that were sent and blocked as spam.

## Greylisting

This report tells you the number of connections which were allowed and delayed due to greylisting for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). Domain and system administrators may use this report to verify that greylisting is working.

Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Allowed Connections - The total number of messages that passed greylisting and were delivered to the mailbox without delay.
- Delayed Connections - The total number of messages that were delayed due to greylisting.
- Total Connections - The total number of connections made to a particular server (i.e., SMTP, POP, IMAP, etc.)

## Viruses

This report tells you the number of viruses which were received through email for a specific domain (at the domain admin level) or all domains on your server (at the system admin level). Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Viruses - The total number of viruses that were detected from incoming mail.

## Commtouch Premium Antispam

This report tells you the number of messages that the Commtouch Detection Center classified as potential spam on your server. System administrators may use this report to verify that the Commtouch Premium Antispam add-on is working, to gauge the amount of spam coming into the server and more. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Confirmed - The number of messages the Commtouch Detection Center confirmed as coming from known spam sources.
- Suspected - The number of messages the Commtouch Detection Center suspected might be spam because they were sent to a slightly larger than average distribution.
- Bulk - The number of messages the Commtouch Detection Center deemed as sent in bulk. Note: Newsletters or mailing list messages may be included in this classification.
- Not Spam - The number of messages the Commtouch Detection Center deemed were not spam.

## Commtouch Zero-hour Antivirus

This report tells you the number of incoming messages that the Commtouch Detection Center flagged as containing potential viruses. System administrators may use this report to verify that the Commtouch Zero-hour Antivirus add-on is working, the number of viruses coming into the server and more. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The specified amount of time that the report data falls within.
- Virus Result - The number of messages in which the Commtouch Detection Center confirmed they contained a virus.
- High Result - The number of messages the Commtouch Detection Center deemed have a high likelihood of presenting a virus threat.
- Nedium Result - The number of messages in which the Commtouch Detection Center found a probable threat of viruses.

- Non-virus Result - The number of messages the Commtouch Detection Center confirmed did not contain viruses.
- Unknown Result - The number of messages in which the Commtouch Detection Center could not determine the threat for viruses.

## Security Reports

### Abuse Detection

This report shows the number of attacks on the server. For example, if a system administrator notices an increase in DOS or harvesting violations, he may review server logs to determine the IP address that is triggering the violations and consider permanently blocking the IP. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The day of the week covered by the report.
- DOS Violations - The total number of DOS violations.
- Harvesting Violations - The total number of harvesting violations.
- Internal Spammer Violations - The total number of spam violations from users on the SmarterMail server.

### Blacklist / Whitelist

This report shows the number of connections made from blacklisted and whitelisted IPs. Note: Not all reports are available for users and/or domains. Consult your system or domain administrator for report availability.

The following report items are available:

- Day - The day of the week covered by the report.
- Blacklisted Connections - The number of connections SmarterMail made to blacklisted IPs.
- Whitelisted Connections - The number of connections SmarterMail made to whitelisted IPs.