



# Mailing List Events

Help Documentation

## Mailing List Events

System administrators can receive notifications based on the following mailing list events:

- Mailing List Added - Notifies system administrators when a new mailing list is created.
- Mailing List Bounce Removal - Notifies system administrators when an email address is removed from the mailing list due to bounced messages.
- Mailing List Deleted - Notifies system administrators when an existing mailing list is deleted.
- Mailing List Subscribe - Notifies system administrators when an email address subscribes to a mailing list.
- Mailing List Unsubscribe - Notifies system administrators when an email address unsubscribes from a mailing list.
- Message Sent to Mailing List - Notifies system administrators when a new message is sent to the mailing list.

## Conditions

Depending on the event selected, the following event criteria are available:

- Event Name - The name of the event.
- Event Category - The feature to which the event pertains (collaboration, email, security, etc.)
- Event Type - Each category has several specific event types that can trigger the action.
- Time of Day - The time frame during which the event occurs.
- Day of Week - The day(s) of the week during which the event occurs.
- Domain - The domain on which the event occurs.
- Email Address - The email address that will trigger the event.
- From Address - The email address from which the message is sent to the mailing list.
- List Name - The mailing list name that will trigger the event.
- Subscribe Method - The subscription signup method that will trigger the event.
- Unsubscribe Method - The subscription removal method that will trigger the event.
- Enabled - The Enabled checkbox must be marked in order for this event to trigger. Use this setting to temporarily disable events.

## Actions

Depending on the event selected, the following actions are available:

- Use my notification profile
- Send email

- Toast notification
- Execute command-line