



# Security

Help Documentation

## Security

### Anti-Virus Administration

From this page you can enable SmarterMail to work with virus scanners that support a quarantine directory. SmarterMail has the ability to check the quarantine directory and respond to users who attempted to send an email containing a virus.

Virus scanner stores files in a quarantine folder - Check this box to enable SmarterMail to start taking action for messages marked in the quarantine directory.

Quarantine Directory - Enter the full path to the quarantine directory set for the server.

Virus Action - Choose the action to be taken when an email contains a virus. The available options are shown below.

- Delete (Recommended) - This option will enable the SmarterMail service to delete any associated files attached to the message from the spool directory. This does not take any action on the quarantine directory.
- Inform Sender - This option will inform the 'From' address that a message was received by the server, and because a virus was found in the message, it did not reach the intended recipient.  
Note: With some of the more recent viruses, this action becomes less useful, as many viruses now spoof the 'from' email address.

### AntiVirus Solutions

For more information regarding recommended anti-virus solutions, along with detailed instructions on setting them up, click here .

### Anti-Spam Administration

SmarterMail's anti-spam features allow you to be as aggressive as you want when combating spam. The Anti-Spam Administration page is separated into tabs to make configuring the system easier. These tabs are briefly explained below, with detailed explanations afterward.

- Spam Checks - Check the spam options that you want to enable for filtering (a point-based weighting system for filtering spam) and for blocking at the SMTP level. Weights can also be edited for the various checks from this tab.
- Filtering - Choose the default weight thresholds and actions for various spam levels for filtering. Users can override these settings if you permit them to.
- SMTP Blocking - Set the weight to use as a threshold on this tab. Enabling this option will

block email at the SMTP delivery level if too many spam checks fail.

- Options - This tab contains options relating to the processing of spam and overridability.

In short, when an email comes in, spam checks are run on it. The checks that fail add points to the email, which then put the email into a category of spam probability.

## Spam Checks

Due to the flexible nature of SmarterMail's Anti-Spam setup, spam checks can influence the spam decision as much or little as you want. When spam protection runs on a particular email, all enabled spam checks are performed on the email. The total weight of all failed tests is what comprises the spam weight for the email. A spam probability level is then assigned to the email using the settings in the Filtering tab.

Note: Only enabled spam checks are used when calculating spam weight. To enable or disable a check, click on the appropriate checkbox next to it and click save.

The different types of Spam Checks are shown below. In most cases, clicking on the edit link will allow you to set various properties about it.

## Declude

Declude integration allows you to use Declude products in conjunction with the SmarterMail weighting system. Configuration of Declude is done through the Declude product, and all you need to do in SmarterMail is enable the spam check.

## Bayesian Filtering

Bayesian Filtering uses statistical analysis to identify whether or not an email appears to be spam. Tying it together with blacklists and SPF allows you to be quite sure that email is or is not spam.

Weight - The default weight for this spam check. If an email has a high probability of being spam based on its content, this is the value that will be added to the message's total spam weight.

Max memory to allocate for filtering - Bayesian Filtering can be memory intensive. As a result, SmarterMail allows you to configure the maximum resources that will be dedicated to Bayesian Filtering. In general, the more memory you reserve for Bayesian Filtering, the more accurate the results will be.

Messages required for filter update - Once this number of messages have been processed as known-good or known-spam email, SmarterMail will re-analyze the filters to help your system protect against new spam threats. In this way, Bayesian Filtering can become more tailored to handle the mail of the domains on the server.

## SPF (Sender Policy Framework)

SPF is a method of verifying that the sender of an email message went through the appropriate email server when sending. As more and more companies add SPF information to their domain DNS records, this check will prevent spoofing at an increasing rate.

Pass - Indicates that the email was sent from the server specified by the SPF record (more likely good mail). The weight you set may be 0 (for no effect) or a negative number, thereby reducing the spam rating.

Fail - Indicates that the email was sent from a server prohibited by the SPF record (highly likely spam). Set this to a relatively high weight, as the probability that the email was spoofed is very high.

SoftFail - Indicates that the email was sent by a server that is questionable in the SPF record. This should either be set to 0 or a low spam weight.

Neutral - Indicates that the SPF record makes no statement for or against the server that sent the email. Except in very special circumstances, leave this set to 0.

PermError - Indicates that there is a syntax error in the SPF record. Since SPF is relatively new, some domains have published improperly formatted SPF records. It is recommended that you leave this at 0 until SPF becomes more popular on the internet.

None - Indicates that the domain has no published SPF record. Since SPF is relatively new, many legitimate domains do not have SPF records. It is recommended that you leave this at 0 until SPF becomes more popular on the internet.

## Reverse DNS

Reverse DNS checks to make sure that the IP address used to send the email has a friendly name associated with it.

Weight - The default weight for this spam check. If an email sender does not have a reverse DNS entry, this is the value that will be added to the message's total spam weight.

## RBL Lists

RBL Lists (also known as IP4R Lists) are publicly accessible lists of known spammer IP addresses. These lists can be a very important part of spam protection. To attach to a list, click on Add List. Some common RBL lists are shown at the bottom of this topic.

Name - A friendly name for the list that will help you and your customers identify it.

**Weight** - The default weight for this spam check. If an email sender is listed with the spam list, this is the value that will be added to the message's total spam weight.

**DNS Server** - Spam lists operate through DNS. As a result, each list provider gives out a DNS server that contains the blacklist. Enter it in this box.

**Description** - This field allows you to store additional information about the list.

## Filtering

Emails are filtered into one of four categories based on their total weight. If a weight is equal to or higher than a certain category, then it is assigned that probability of being spam. Use the Actions tab to define the weight thresholds and the default actions at each level.

**Weight Threshold** - The email is sorted into probability levels based on the weight threshold values.

**Action** - The action to take when a message ends up with this probability.

## SMTP Blocking

This tab allows you to set up extra spam checks that block emails at delivery if a certain amount of spam checks fail.

**Enable SMTP Spam Blocking** - Check this box to turn on this feature.

**SMTP Block Threshold** - An email must score this value or higher in order to be blocked. The score is established by the settings on the Spam Checks tab.

## Options

**Allow domains to override weights** - Many domain administrators have their own opinions on what spam checks work best for their domain. Check this box to allow them to override the spam options if they wish.

**Skip spam filters on intra-domain email** - Checking this box will skip spam filtering when messages are sent from from within the same domain (e.g. user1@example.com to user2@example.com).

## Adding and Editing RBL Lists

To add a new RBL list or edit existing ones, click on the Edit RBL Lists button.

## Common Spam Lists

Name	Web Site	DNS Server
------	----------	------------

ORDB	<a href="http://www.ordb.org">http://www.ordb.org</a>	relays.ordb.org
SpamCop	<a href="http://www.spamcop.net">http://www.spamcop.net</a>	bl.spamcop.net
SpamHaus SBL+XBL	<a href="http://www.spamhaus.org">http://www.spamhaus.org</a>	sbl-xbl.spamhaus.org
VisiRelays	<a href="http://relays.visi.com">http://relays.visi.com</a>	relays.visi.com

## Blacklist / Whitelist

From this page you can control which IP addresses are blacklisted (not allowed) from mail services on this machine, or whitelisted (trusted) to access the mail services on this machine.

Note: Whitelisted IP addresses are not subject to relay restrictions which you may have imposed.

Exercise caution when granting a whitelist to a server, and be sure that you know what services on that server may send mail through your server.

Add IP(s) - Click on this button to add an IP address or an IP address range to the list.

Edit an Item - Click on a row to edit the whitelist or blacklist settings for the entry.

SMTP / POP / IMAP - An X in one or more of these columns indicates that the blacklist or whitelist is active for that IP address or range for the protocol listed.

Delete Link - Click on this link to remove an entry from the list.

### Adding / Editing an Entry

IP Address - Enter a single IP address in dotted quad notation (X.X.X.X) in this box if you want to add only a single IP (ex: 192.168.1.26).

IP Range - Enter a range of IP addresses in the two boxes, and all IP addresses that are contained in the range will be added (ex: 192.168.1.1 - 192.168.1.255).

Blacklist or Whitelist SMTP / POP / IMAP - Check the boxes for the protocols you wish to include in the blacklist or whitelist entry.

## Abuse Detection

SmarterMail has several methods of preventing abuse and Denial of Service (DoS) attacks. The ones that can be configured are explained below. Any number of detection methods can be added.

Denial of Service (DoS) Prevention - Too many connections from a single IP address can indicate a Denial of Service (DoS) attack. Enable this option to block IPs that are connecting too often to the server. It is recommended that you whitelist any trusted IP addresses that may send out large mailing lists or make many connections if you enable this option.

- Service Type - Select the service that will be monitored for this type of attack (POP/SMTP/IMAP/LDAP).
- Time Frame - The period of time in the past that is examined to determine if an IP address should be blocked. Too many connections in this period of time, and a block will be initiated.
- Connections Before Block - The number of connections before a block is placed. It is common for several connections to be open at once from an IP address. Set this to a pretty high value so that you can catch DoS attacks while not impacting legitimate customers.
- Time to Block - The number of minutes that a block will be placed once an IP hits the threshold.

Bad SMTP Sessions (Email Harvesting) - A bad session is any connection that ends without successfully sending a message. Many bad sessions usually indicate spamming or email harvesting. Leaving all of these options set to 0 (zero) will disable this type of abuse detection. It is recommended that you whitelist any trusted IP addresses that may send out large mailing lists if you enable this option.

- Time Frame - The period of time in the past that is examined to determine if an IP address should be blocked. Too many bad sessions in this period of time, and a block will be initiated.
- Bad Sessions Before Block - The number of bad sessions before a block is placed. A few bad sessions happen once in a while, for instance when a person sends an email to an email account that does not exist. It is not these people that you are targetting, but rather those that are attempting to compromise or harass your customers.
- Time to Block - The number of minutes that a block will be placed once an IP hits the threshold.

Internal Spammer Detection and Notification - Enabling this feature in SmarterMail will alert an administrator whenever a multiple emails are received on the server of the same size.

- Time Frame - The period of time in the past that is examined to determine if an alert should be sent. Too many duplicate emails in this period of time, and an alert will be sent.
- Messages Before Notify - After this many duplicate messages are received within the time period specified, the email notification is sent.
- Email to Notify - The administrator account to which the notification will be sent.

## SMTP Blocked Senders

The SMTP Blocked Sender list is an effective method of temporarily canceling a domain or user's ability to send email on the server. For example, if a particular account is sending an abnormal amount of email, you can add their address to Blocked Senders and they will be unable to send email.

Blocked Senders - Enter the email addresses or domain names you want to block, one per line. The \* wildcard is permitted in the list.

## Forwarding BlackList

Emails cannot be forwarded to the domains in this list. This is to prevent issues with companies that have strict spam policies and blacklist the sending server for forwarded spam.

The most common instance of needing this feature is AOL \* , which blacklists servers that forward spam to their servers. If this becomes a problem, you may decide to add AOL.com to your forwarding blacklist.

\*AOL and AOL.com are registered trademarks of America Online, Inc.

## SMTP Authentication Bypass

SMTP Authentication is a security measure that can strongly help in the fight against spam and unauthorized email. Unfortunately, some applications do not have support for SMTP authentication when sending mail. Most often, these are web sites that have automated mail sending mechanisms.

The solution is to add the IP addresses of the servers / sites to SmarterMail's SMTP Authentication Bypass. Any IP address entered into this page will not be asked to provide an SMTP Authentication login.

In this list you can see all IP addresses that are bypassing SMTP Authentication.

Add IP(s) - Click on this button to add additional IP addresses to the bypass. More information can be found below.

Delete Link - Clicking on the delete link next to an IP removes it from the bypass.

### Adding a Bypass

IP Address - Enter a single IP address in dotted quad notation (X.X.X.X) in this box if you want to bypass only a single IP (ex: 192.168.1.26).

IP Range - Enter a range of IP addresses in the two boxes, and all IP addresses that are contained in the range will be bypassed (ex: 192.168.1.1 - 192.168.1.255).